

#### **BERMUDA**

## MOTOR CAR AMENDMENT ACT 2018

2018:14

#### TABLE OF CONTENTS

1	Citation
2	Amends section 43
3	Amends section 59
4	Repeals and replaces Schedule 1A
5	Repeals and replaces Schedule 1B
3	Repeals and replaces Schedule 1C
7	Amends Schedule 2
R	Commencement

WHEREAS it is expedient to amend the Motor Car Act 1951 to increase the permit fees and the licence duty payable in respect of different classes of vehicles;

Be it enacted by The Queen's Most Excellent Majesty, by and with the advice and consent of the Senate and the House of Assembly of Bermuda, and by the authority of the same, as follows:

## Citation

1 This Act, which amends the Motor Car Act 1951 (the "principal Act"), may be cited as the Motor Car Amendment Act 2018.

# Amends section 43

Section 43(2) of the principal Act is amended by inserting after paragraph (b) the following—

"(ba) an applicant for a permit shall, on the grant of the permit, pay the fee set out in Schedule 1C;".

#### Amends section 59

- 3 Section 59(1) of the principal Act is amended—
  - (a) in paragraph (b) by deleting "\$100" and substituting "\$105";
  - (b) in the proviso after paragraph (b), by deleting "\$50" and substituting "\$52.50".

#### Repeals and replaces Schedule 1A

Schedule 1A to the principal Act is repealed and replaced with the following—

## "SCHEDULE 1A

(section 40(3))

#### TRUCK PERMIT FEES

Α	HIRE TRUCKS		
	Lunch Wagon	\$70,300	
	Water Truck	\$70,300	
	Sanitation Truck	\$70,300	
	Dump/General Truck	\$86,550	
	Boat Trailer	\$54,100	
	Tractor Trailer	\$86,550	
	Sewage Tank Wagon	\$70,300	
	Tow Truck	\$54,100	
В	RENTAL TRUCKS		
	Rental Truck	\$108,150	
C	TRUCKS OTHER THAN HIRE OR RENTAL TRUCKS		
	Light/Light Private Truck	\$1,100	
	Intermediate Truck	\$1,650	
	Passenger Truck	\$1,650	
	Class A Heavy Truck	\$2,200	
	Class B Heavy Truck	\$2,750	
	Class C Heavy Truck	\$3,250	
	Garbage Collection Truck (HX)	\$3,800	
	Tractor Head	\$4,350	".

## Repeals and replaces Schedule 1B

5 Schedule 1B to the principal Act is repealed and replaced with the following—

#### "SCHEDULE 1B

(sections 32A(4)(c), 36(4)(ba) and 36A(2)(ba))

#### PUBLIC SERVICE VEHICLES PERMIT FEES

Limousine Service \$54,100 (per vehicle)

Minibus Service \$5,450 (per vehicle)

Airport Limousine Service \$2,200 (per vehicle) ".

## Repeals and replaces Schedule 1C

Schedule 1C to the principal Act is repealed and replaced with the following—

#### "SCHEDULE 1C

(section 43(2)(ba))

#### TRAILER PERMIT FEES

Light Trailer	\$220
Intermediate Trailer	\$435
Heavy Trailer	\$650
Special Permit Trailer	\$865
Container Chassis	\$1,300
Low Boy Trailer	\$1,550 ".

#### Amends Schedule 2

7 Schedule 2 to the principal Act is repealed and replaced with the following—

#### "SCHEDULE 2

(section 59)

#### LICENCE DUTIES

#### A MOTOR CYCLES

Where the engine capacity-

does not exceed 100 c.c. \$91.08 exceeds 100 c.c. but does not exceed 125 c.c. \$99 exceeds 125 c.c. but does not exceed 150 c.c. \$158.04

B PRIVATE MOTOR CARS AND INSTRUCTIONAL VEHICLES

Class A Where the length overall does not exceed 3505 mm \$304.08 (138 in.)

Class C Where the length overall exceeds 3658 mm (144 in.) but does not exceed 3810 mm (150 in.)  Class D Where the length overall exceeds 3810 mm (150 in.) but does not exceed 3963 mm (156 in.)  Class E Where the length overall exceeds 3963 mm (156 in.)  Class F Where the length overall exceeds 4115 mm (162 in.)  Class G Where the length overall exceeds 4115 mm (166 in.) but does not exceed 4217 mm (166 in.)  Class H Where the length overall exceeds 4217 mm (166 in.) but does not exceed 4293 mm (169 in.)  Class H Where the length overall exceeds 4293 mm (169 in.) but does not exceed 4445 mm (175 in.)  BA LIVERY MINICARS Any minicar \$167.90  C MOTOR TAXIS Any Motor Taxi \$328.08  D TRUCKS, TANK WAGONS AND TRACTORS NOT ELSEWHERE SPECIFIED IN THIS SCHEDULE The fees specified in the this table shall be reduced by 50% in the case of a tank wagon employed exclusively in the transport of water  Where the dimensions— do not exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width  exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width but do not exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width  exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width but do not exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width  exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width but do not exceed 6966 mm (240 in.) in length and 2232 mm (80 in.) in width but do not exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width  exceed 6096 mm (240 in.) in length and 2286 mm (90 in.) in width  exceed 6096 mm (260 in.) in length and 2286 mm (90 in.) in width  exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width  exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width	Class B	Where the length overall exceeds 3505 mm (138 in.) but does not exceed 3658 mm (144 in.)	\$418.08
but does not exceed 3963 mm (156 in.)  Class E Where the length overall exceeds 3963 mm (156 in.) 81,022.04 but does not exceed 4115 mm (162 in.)  Class F Where the length overall exceeds 4115 mm (162 in.) 51,184.04 but does not exceed 4217 mm (166 in.)  Class G Where the length overall exceeds 4217 mm (166 in.) 81,378.08 but does not exceed 4293 mm (169 in.)  Class H Where the length overall exceeds 4293 mm (169 in.) 81,678.08 but does not exceed 4445 mm (175 in.)  BA LIVERY MINICARS Any minicar 8167.90  C MOTOR TAXIS Any Motor Taxi 8328.08  D TRUCKS, TANK WAGONS AND TRACTORS NOT ELSEWHERE SPECIFIED IN THIS SCHEDULE The fees specified in the this table shall be reduced by 50% in the case of a tank wagon employed exclusively in the transport of water  Where the dimensions— do not exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width but do not exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width exceed 4572 mm (180 in.) in length and 1931 mm (76 in.) in width exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width exceed 6096 mm (240 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width	Class C	, ,	\$592.08
but does not exceed 4115 mm (162 in.)  Class F Where the length overall exceeds 4115 mm (162 in.) but does not exceed 4217 mm (166 in.)  Class G Where the length overall exceeds 4217 mm (166 in.) but does not exceed 4293 mm (169 in.)  Class H Where the length overall exceeds 4293 mm (169 in.) but does not exceed 4445 mm (175 in.)  BA LIVERY MINICARS Any minicar S167.90  C MOTOR TAXIS Any Motor Taxi S328.08  D TRUCKS, TANK WAGONS AND TRACTORS NOT ELSEWHERE SPECIFIED IN THIS SCHEDULE The fees specified in the this table shall be reduced by 50% in the case of a tank wagon employed exclusively in the transport of water  Where the dimensions— do not exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width but do not exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width but do not exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width exceed 5334 mm (210 in.) in length and 2032 mm (80 in.) in width exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width exceed 6096 mm (240 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width	Class D	,	\$730.08
but does not exceed 4217 mm (166 in.)  Class G Where the length overall exceeds 4217 mm (166 in.) but does not exceed 4293 mm (169 in.)  Class H Where the length overall exceeds 4293 mm (169 in.) \$1,678.08 but does not exceed 4445 mm (175 in.)  BA LIVERY MINICARS  Any minicar \$167.90  C MOTOR TAXIS  Any Motor Taxi \$328.08  D TRUCKS, TANK WAGONS AND TRACTORS NOT ELSEWHERE SPECIFIED IN THIS SCHEDULE  The fees specified in the this table shall be reduced by 50% in the case of a tank wagon employed exclusively in the transport of water  Where the dimensions—  do not exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width but do not exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width exceed 4572 mm (180 in.) in length and 1931 mm (76 in.) in width but do not exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width exceed 5334 mm (210 in.) in length and 2032 mm (80 in.) in width exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width exceed 6096 mm (240 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width	Class E		\$1,022.04
but does not exceed 4293 mm (169 in.)  Class H Where the length overall exceeds 4293 mm (169 in.) but does not exceed 4445 mm (175 in.)  BA LIVERY MINICARS  Any minicar \$167.90  C MOTOR TAXIS  Any Motor Taxi \$328.08  D TRUCKS, TANK WAGONS AND TRACTORS NOT ELSEWHERE SPECIFIED IN THIS SCHEDULE  The fees specified in the this table shall be reduced by 50% in the case of a tank wagon employed exclusively in the transport of water  Where the dimensions—  do not exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width but do not exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width exceed 4572 mm (180 in.) in length and 1931 mm (76 in.) in width exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width exceed 5334 mm (210 in.) in length and 2032 mm (80 in.) in width exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width exceed 6096 mm (240 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm	Class F		\$1,184.04
but does not exceed 4445 mm (175 in.)  BA LIVERY MINICARS Any minicar \$167.90  C MOTOR TAXIS Any Motor Taxi \$328.08  D TRUCKS, TANK WAGONS AND TRACTORS NOT ELSEWHERE SPECIFIED IN THIS SCHEDULE The fees specified in the this table shall be reduced by 50% in the case of a tank wagon employed exclusively in the transport of water Where the dimensions— do not exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width but do not exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width but do not exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width but do not exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width but do not exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width	Class G		\$1,378.08
Any minicar \$167.90  C MOTOR TAXIS Any Motor Taxi \$328.08  D TRUCKS, TANK WAGONS AND TRACTORS NOT ELSEWHERE SPECIFIED IN THIS SCHEDULE The fees specified in the this table shall be reduced by 50% in the case of a tank wagon employed exclusively in the transport of water Where the dimensions— do not exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width but do not exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width but do not exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width but do not exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width but do not exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width	Class H		\$1,678.08
C MOTOR TAXIS Any Motor Taxi \$328.08  D TRUCKS, TANK WAGONS AND TRACTORS NOT ELSEWHERE SPECIFIED IN THIS SCHEDULE The fees specified in the this table shall be reduced by 50% in the case of a tank wagon employed exclusively in the transport of water Where the dimensions— do not exceed 4293 mm (169 in.) in length and 1702 mm (67 solution) in width exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width but do not exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width but do not exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width but do not exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width but do not exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width	BA LIV	ERY MINICARS	
Any Motor Taxi  D TRUCKS, TANK WAGONS AND TRACTORS NOT ELSEWHERE SPECIFIED IN THIS SCHEDULE  The fees specified in the this table shall be reduced by 50% in the case of a tank wagon employed exclusively in the transport of water  Where the dimensions—  do not exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width  exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width but do not exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width  exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width but do not exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width  exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width but do not exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width  exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width but do not exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width  exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width  exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width	An	y minicar	\$167.90
TRUCKS, TANK WAGONS AND TRACTORS NOT ELSEWHERE SPECIFIED IN THIS SCHEDULE  The fees specified in the this table shall be reduced by 50% in the case of a tank wagon employed exclusively in the transport of water  Where the dimensions—  do not exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width  exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width but do not exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width  exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width but do not exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width  exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width exceed 5334 mm (240 in.) in length and 2032 mm (80 in.) in width  exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width but do not exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width  exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width  exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width	C MOTO	OR TAXIS	
IN THIS SCHEDULE  The fees specified in the this table shall be reduced by 50% in the case of a tank wagon employed exclusively in the transport of water  Where the dimensions—  do not exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width  exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width but do not exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width  exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width but do not exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width  exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width but do not exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width  exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width but do not exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width  exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in s2,700 width	Any N	Motor Taxi	\$328.08
in the case of a tank wagon employed exclusively in the transport of water  Where the dimensions—  do not exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width  exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width but do not exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width  exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width but do not exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width  exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width but do not exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width  exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width but do not exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width  exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in \$2,700 width		•	E SPECIFIED
do not exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width  exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width but do not exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width  exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width but do not exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width  exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width but do not exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width  exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width but do not exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width  exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width	in th	e case of a tank wagon employed exclusively in the	
in.) in width exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width but do not exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width but do not exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width but do not exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width but do not exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width	Wher	e the dimensions—	
width but do not exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width but do not exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width but do not exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width but do not exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width			\$928.08
width but do not exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width but do not exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width but do not exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in \$2,700 width	width	but do not exceed 4572 mm (180 in.) in length and	\$1,236
width but do not exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width but do not exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width  \$2,380.32	width	but do not exceed 5334 mm (210 in.) in length and	\$1,650
width but do not exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in width exceed 6605 mm (260 in.) in length and 2286 mm (90 in.) in \$2,700 width	width	but do not exceed 6096 mm (240 in.) in length and	\$1,962
width	width	but do not exceed 6605 mm (260 in.) in length and	\$2,380.32
E SELF-PROPELLED CONSTRUCTION MACHINES		<u> </u>	\$2,700
	E SELF	-PROPELLED CONSTRUCTION MACHINES	

	Where	e the weight—	
		not exceed 5,000 lbs.	\$762
		ds 5,000 lbs. but does not exceed 10,000 lbs.	\$951
		ds 10,000 lbs. but does not exceed 15,000 lbs.	\$1,224
	excee	ds 15,000 lbs.	\$1,492.08
F	OMNI	BUSES AND AIRPORT LIMOUSINES	
	Where	e the dimensions—	
		t exceed 5812 mm (230 in.) in length and 1931 mm (76 width	\$1,149
		t exceed 9300 mm (366.14 in.) in length and 2300 mm 5 in.) in width	\$2,290.08
G	BOAT	TRAILERS	
	For co	ommercial use only	\$470.04
	For us	se by bona fide boat clubs or members thereof	\$103.08
Н		TRAILERS	
		Where the dimensions—	
Cla	ass A	do not exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width	\$118.08
Cla	ass B	exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width but do not exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width	\$245.04
Cla	ass C	exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width but do not exceed 5331 mm (201 in.) in length and 1931 mm (76 in.) in width	\$493.08
I	TRACT	OR TRAILERS	
	Any tra	actor trailer	\$3,513
J	FARM	TRACTORS	
		rm tractor - that is a tractor that is solely used for tural purposes	\$24
K	SPECI.	AL GARBAGE COLLECTION VEHICLES, FUEL ATION, TOWING, UTILITY VEHICLES AND CEMENT TRU	TANKERS, CKS
		pecial garbage collection vehicle, sanitation, towing, vehicles and	\$2,834.04
		t trucks where the dimensions do not exceed 8001 mm a.) in length	
	2388 r	nm (94 in.) in width	
L	COMM	UNITY SERVICE VEHICLES	
	Any Co	ommunity Service Vehicle	\$829.08

M	MINIBUSES	
	Any minibus	\$328.08
N	FUNERAL HOME LIMOUSINES	
	Any funeral home limousine	\$1,626
Ο	LOANER VEHICLES—PRIVATE MOTOR CARS	
	Where the length overall—	
	does not exceed 3505 mm (138 in.)	\$324
	exceeds 3505 mm (138 in.) but does not exceed 3658 mm (144 in.)	\$442.08
	exceeds 3658 mm (144 in.) but does not exceed 3810 mm (150 in.)	\$620.04
	exceeds $3810~\mathrm{mm}$ (150 in.) but does not exceed $3963~\mathrm{mm}$ (156 in.)	\$766.08
	exceeds 3963 mm (156 in.) but does not exceed 4115 mm (162 in.)	\$1,078.08
	exceeds 4115 mm (162 in.) but does not exceed 4217 mm (166 in.)	\$1,240.08
	exceeds 4217 mm (166 in.) but does not exceed 4293 mm (169 in.)	\$1,445.04
	exceeds 4293 mm (169 in.) but does not exceed 4445 mm (175 in.)	\$1,678.08
P	LOANER VEHICLES—MOTOR TAXIS	
	Any motor taxi	\$324
Q	LOANER VEHICLES—TRUCKS, TANK WAGONS AND TRACTO ELSEWHERE SPECIFIED IN THIS SCHEDULE)	ORS (NOT
	Where the dimensions—	
	do not exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width	\$971.04
	exceed 4293 mm (169 in.) in length and 1702 mm (67 in.) in width but do not exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width	\$1,299
	exceed 4572 mm (180 in.) in length and 1801 mm (71 in.) in width but do not exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width	\$1,725
	exceed 5334 mm (210 in.) in length and 1931 mm (76 in.) in width but do not exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width	\$2,065.08
	exceed 6096 mm (240 in.) in length and 2032 mm (80 in.) in width but do not exceed 6605 mm (260 in.) in length and 2388 mm (94 in.) in width	\$2,491.08

# MOTOR CAR AMENDMENT ACT 2018

R AMPHIBIOUS VEHICLES

Any amphibious vehicle

\$2,340

S LIMOUSINES

Where the dimensions do not exceed 210 inches in length and 77 inches in width

\$1,093.08

Commencement

This Act comes into effect on 1 April 2018.

[Assent Date: 23 March 2018]

[Operative Date: 01 April 2018]