

**CHAPTER 328C**

**AIRPORTS**

LIST OF AUTHORISED PAGES

1 - 18 LRO 1/2010

**ARRANGEMENT OF SUBSIDIARY LEGISLATION**

SECTION 7

Airports (Customs Duties and Excise Tax Exemption) Regulations

**CHAPTER 328C**

**AIRPORTS (DUTIES AND TAX EXEMPTION)**

*SI 20/2009*

**AIRPORTS (CUSTOMS DUTIES AND EXCISE TAX EXEMPTION) REGULATIONS**

(SECTION 7)

*[Commencement - 28th January, 2009]*

Citation and commencement.

**1.** (1) These Regulations may be cited as the Airports (Customs Duties and Excise Tax Exemption) Regulations.

(2) These Regulations shall come into operation on the 28th day of January, 2009 and shall expire on the 31st day of December, 2014.

Exemptions.  
First Schedule.

**2.** The items mentioned in the First Schedule which are used for the purposes of building materials as defined in the Act shall be eligible for customs duties and excise tax exemption.

Application Form.

**3.** The approved developer, applying for an exemption of customs duties and excise tax for building materials as defined in the Act shall make application pursuant to the form specified in the Second Schedule.

Second Schedule.

**FIRST SCHEDULE***(Regulation 2)***CONSTRUCTION MATERIALS**

<b>Description</b>	<input type="checkbox"/>	<b>Estimated quantity</b>
		TICK WHERE APPLICABLE
Earthwork (granular sub base)		
Termite Control		
Concrete Formwork		
Reinforcing		
Mesh		
Rods		
Cast in Place Concrete (inc. waste)		
Control & Expansion Joint		
Extend Existing Elevator Shaft & Base		
Housekeeping Pads/Bases/Curbs/Depressions		
Concrete Curb		
Concrete Curb 8" x 16"		
Concrete Curb 6" x 16"		
Concrete Hardener		
Unit		
Masonry		
Stonework-facing stone		
Structural Steel (inc. waste)		
Metal Decking		
Metal Fabrications		
steel exit stair from fixed links		
steel exit stair and rails Level 1 to Apron		
steel exit stair and rails Level 2 to Apron		
steel main stair to Level 2		
steel baggage stair to Level 2		
steel interstitial stair to Level 2		
stair rails to Level 2 concrete stairs		
lightweight metal structure as canopy and		
monitor support over check-in counters,		
overall width 15 '0" x 12 lbs./sq. ft		
stainless steel base		
with metal structure as canopy & monitor		
support over check-in counters		
stainless steel column protectors		
360 degrees		
270 degrees		
180 degrees		
stainless steel handrails		
stainless steel balustrade supports		

---

stainless steel glass partition supports  
stainless steel glass insert channel  
1 1/2 diam. anodized aluminium rail  
handrail support  
protection bollards  
loading dock rails  
baggage conveyor/piers protection rails  
miscellaneous embeds, plates, etc.

Rough Carpentry

softwood blocking, framing and backing

Finish Carpentry

vanity  
architectural feature wall paneling, 8'  
wood slat ceiling panel  
vertical wood slat ceiling panel  
vertical wood slat to retail sign band 30" ht.  
vertical wood slat to wall panel at rear  
col. locations, retail units, 60" x 108"  
vertical retail sign band-plastic lam on GWB/MDF 30" ht.  
horizontal retail sign band canopy 30" wd.  
box section 18" deep x 9" wd. to each side  
of structural steel columns 144" ht.  
retail demising cap; steel std. w/tempered  
glass sign box each side & framed in plastic  
lam. clad plywood, 30" x 108"  
retail demising cap; steel std. frame w/MDF  
on all sides, clad w/plastic lam., inc. temp.  
glass panel c/w vinyl graphic appliqué  
wood trellis for food court  
food court perimeter barrier

Insulation

thermal insulation to soffits

Fire Protection

to partial roof soffit, Pier C  
columns  
materials for fire protection repairs on existing structure

Cladding

painted cementitious panels w/Hardie  
Artisan Matrix system and rain screen  
cementitious panels w/Hardie Artisan  
Matrix system  
Teflon canopy and framing  
matching sheet metal fascia wrap  
ribbed metal cladding w/hat track,  
insulation and air barrier system

Membrane Roofing

60 mil TPO fully adhered memo Roof sys.

---

w/7/16" OSB underlay, R20 polyiso combo  
board insulation in two layers mecho fas./  
Carlise or equal  
roof cricket & membrane in barrel valley  
roof drain @ bottom of cricket  
parapet cap flashing & membrane  
roofing cover to trellis & walkways

Doors & Windows

Exterior

metal door c/w frame, hardware & paint-sgl  
metal door c/w frame, hardware & paint-pr  
1 1/2 hr, meal door c/w frame, hardware & paint-sgl  
1 1/2 hr, metal door c/w frame, hardware & paint-pr

Interior

metal door C/W frame, hardware & paint-sgl  
metal door C/W frame, hardware & paint-pr  
1 1/2 hr, metal door c/w frame, hardware & paint-sgl  
1 1/2 hr, metal door c/w frame, hardware & paint-pr

Special doors

roller shutter doors  
cell doors (Royal Bahamian Police)

Entrance & Store Fronts

Exterior

pair, fully glazed entrance doors c/w hardware  
pair, fully glazed automatic  
sliding entrance doors c/w hardware  
US-check-in hall  
pair, fully glazed automatic sliding entrance  
doors c/w hardware-various locations

Interior

pair, fully glazed entrance doors c/w  
hardware  
pair, fully glazed entrance doors, c/w hardware  
to swing gate partitioning  
pair, fully glazed automatic sliding entrance  
doors c/w hardware-various locations  
vestibule glazing

Aluminium windows

interior view panel, vision glass  
interior view panel vision glass (Royal Bahamian Police)  
interior view panel, one way glass  
cashier window

Glazing

glass balustrades  
Level 1 glass screen, 12 '0" ht.  
Level b/w CBS PIL & central  
vertical core

- 
- 9' 0" glass screen
  - swing gate glass partitioning, Level 2
  - extra over swing gate 12'0"
  - hor. Translucent Kalwall to floor opening
  - structural support to Kalwall
  - Window & Curtain Wall System
    - frameless glazing w/liquid sealed joints
    - terminal glazed wall in barrel arc
    - motorized operable window, interlock curtain wall system
    - Kalwall glazing & frames
    - structural support and reinforcing systems
    - caulking
  - Finishes
    - GWB 4" steel std. furring w/1/2"
    - GWB & insulation
  - Exterior partition assembly
    - 6" steel studs, w/one layer GWB ext. shtg,
    - z-bar, 3" rigid insulation @
    - one layer GWB internally
    - 6" steel studs, w/glass batt
    - insulation, one layer GWB each side
    - exterior soffit support sys., 2 1/2"
    - steel std. w/hangers & bracing
    - extra GWB for high impact
  - Interior partition assembly
    - 6" steel studs, one layer GWB
    - 6" steel studs, w/one layer GWB one side
    - 6" steel studs, one layer GWB & batt insulation
    - 6" steel studs, w/glass batt insulation, one
    - layer tile backer board, one side GWB
    - 6" steel studs, w/one layer GWB each side
    - 6" steel studs, w/one layer GWB each side
    - w/batt insulation
    - 6" steel studs, w/glass batt insulation,
    - one layer tile backer board, one side & GWB one side
    - 6" steel studs, w/glass batt insulation,
    - one layer tile backer board, one side &
    - GWB one side w/batt insulation
    - 6" steel studs, w/one layer tile backer board each side
    - 6" steel studs, w/one layer tile backer
    - board each side w/batt insulation
    - 6" steel studs, w/6" batt insulation, one side
    - GWB over 3/4" plywood & one side GWB
  - Rated Partitions
    - 1 hr. rated, 6" steel std. w/batt insulation,
    - & one layer GWB type X each side
    - 1 hr. rated, 6" steel std. w/batt

---

insulation & two layers GWB type X on one side,  
tile backer board on the other  
2 hr. FRR steel studs, batt insulation  
2 layers GWB  
1/2" type X on each side  
2 hr. rated shaft wall assembly, C- T studs,  
7/8" shaft liner & one side  
3 layer GWB type X  
2 hr. rated shaft wall assembly, C-T studs,  
7/8" shaft liner & one side  
3 layers 1/2" GWB type C  
gypsum board ceiling  
gypsum board ceiling w/plywood  
bulkhead, 24" deep  
bulkhead, 36" deep  
bulkhead ceiling, 24" girth  
bulkhead ceiling 48" deep  
other bulkhead ceiling  
Glass Fiber Reinforced Gypsum  
Column covers  
    36" diameter  
        14' 0" ht.  
        16' 0" ht.  
        24' 0" ht.  
    finish  
Tile porcelain floor tile  
    porcelain tile to stairs  
    porcelain tile to stairs to Level 1-4" wd.  
    treads  
    risers  
    landing  
    porcelain tile to stairs, 1- 7" wd.  
    porcelain tile to stairs, 1-8" wd.  
    specialty flooring  
    porcelain floor tile w/anti-slip  
    wall tile  
Acoustical Treatment  
    2 '0" x 4 '0" acoustic ceiling tile  
    Armstrong ceiling system  
Resilient Flooring  
    VCT flooring  
    anti-fatigue k  
    anti-fatigue mat  
Carpeting  
Painting  
    exterior paint to metal deck  
    exterior paint, general

---

- interior paint, general
- gypsum ceilings & walls doors & frames
- extra paint for high impact painting to steel frame where req.
- line painting baggage system areas
- miscellaneous painting
- Special Construction
  - Car Rental Office
- Specialties
  - compartments & cubicles
  - toilet partitions (standard)
  - toilet partitions (handicapped)
  - urinal
  - shower
- Louvers & vents
- Wall & Corner Guards
- Signage
- Lockers
- Access flooring
- Mats entry mats (grilles)
- Washroom Accessories
  - fixture count
- Equipment
  - loading dock equipment
    - dock leveler
    - bumper rails
  - athletic equipment-child's play area
  - heavy duty construction equipment
- Furnishings
  - manufactured casework
  - airline counter
  - check-in-counters, single
  - check-in-counters, double
  - gate counter
  - gate counter back unit
  - boarding card reader unit
  - information counter
  - information centre
  - condiment stands
  - food court miscellaneous casework
  - Customs/immigration forms table
  - Immigration desk, double
  - Bahamian Customs inspection table
  - Bahamian Customs office
  - Customs desk & search bench
  - oversize bag drop
  - Cashier's office millwork



---

Roam centre millwork  
Detention bench  
Interview table  
Pocket search table  
Reception Desk  
kitchen base units  
kitchen wall hung cabinets  
miscellaneous casework  
tourism counters

Royal Bahamian Police  
cell bench  
kitchen base units  
kitchen wall hung units  
miscellaneous casework

Manufactured Casework  
holdroom seating/tables  
Food court, Level 2 interior  
upholstered 4 seater booth & table  
4 seater table, round  
2 seater table, rectangle  
chairs for above  
Food court, Level 2 exterior plastic  
4 seater table, round  
4 seater table, rectangle  
2 seater table, round  
2 seater table, rectangle  
1 seater table, round  
chairs for above  
soft furniture  
2 seater couch  
end table

Plumbing Fixtures  
water closet  
urinal  
lavatory  
bathtub  
janitor sink  
shower  
grease interceptor  
water feature fittings  
roof drain  
floor drain  
hose bib  
kennel fittings  
lunch room fittings

Plumbing Equipment  
propane storage tank

---

- grey water treatment plant
- flushing water tank
- local water heater
- irrigation connection BFP
- propane water heater c/w expansion tank
- solar tank
- solar collectors & controls
- flushing water booster
- backflow prevention
- domestic water booster
- domestic hot water recirc. pump
- equipment specialties
- water entry
- Plumbing Piping
  - storm drainage
  - sanitary drains
  - grey water lines
  - venting
  - potable water lines
  - insulation
  - flushing water lines
  - propane lines
  - valves & specialties
  - identification
- Fire Protection
  - Fire Department connections & accessories
  - sprinkler valve assembly
  - fire pump, jockey pump & accessories
  - backflow prevention
  - standpipe & valve cabinet
  - Pre-action zones
  - sprinklers
- Sprinklers wet sprinkler system
- HVAC
  - Air Handling Units
  - Air Curtains
  - washroom exhaust
  - chillers, 650 tons
  - chilled water pumps
  - chilled water specialties
- Diesel Fuel Oil Supply System for generator fuel supply system
- Ductwork
  - duct distribution system
  - duct specialties
- HVACPiping
  - chilled water distribution

---

valves & specialties  
chemical treatment

Duct Terminals  
outside air terminals  
inside air terminals  
boxes  
specialties  
air balance  
piping terminals  
fan coils  
water balance

HVAC Controls  
DCC control system

Electrical  
2000KV A substation transformers  
HV Switch Board  
HV Switches  
HV Connections Allowance  
3200A Main Distribution Board c/w Tie Breaker  
3200A CDP 277 /480v  
800A 277 /480v Distribution Centre  
600A 277 /480v Distribution Centre  
800A Meter Centre 120/208v  
600A Meter Centre 120/208v  
42 cct. 400 a 120/208v branch circuit panel 3  
60 cct. 400 a 120/208 v branch circuit panel  
84 cct. 400 a 120/208 v branch circuit panel  
132 cct. 400 a 120/208 v branch circuit panel  
42 cct. 120/208 v branch circuit panel  
84 cct. 120/208 v branch circuit panel  
42 cct. 400A 277/480 v branch circuit panel  
84 cct. 400A 277/480 v branch circuit panel  
42 cct. 277/480 v branch circuit panel  
84 cct. 277/480 v branch circuit panel  
2000 KV A 277/480 v diesel fired genset  
3200 a bypass transfer switch  
75 kva 480/120/208 v transformer  
112.5 kva 480/120/208 v transformer  
150 kva 480/120/208 v transformer  
225 kva 430/120/208 v transformer  
80 KV A UPS and Panel  
Power factor capacitor  
Surge suppressor  
100 a feeder  
150 a feeder  
200 a feeder  
250 a feeder

---

- 300 a feeder
- 400 a feeder
- 600 a feeder
- 800 a feeder
- 24” cable tray
- cable tray T -section
- cable tray elbow
- cable tray supports
- cable tray grounding cable
- cable tray grounding lugs
- grounding busses
- ground rods
- 4 ground conductor
- 4/0 ground conductor
- grounding terminations
- 800A Motor Control Centre
- 600A Motor Control Centre
- 400A Motor Control Centre
- fire pump controller connection
- lightning protection
- maintenance manuals
- record drawings
- spare parts allowance

#### Lighting Distribution

- Lighting Units (ballasts, tracks, fixtures, etc.)
- emergency lighting unit
- emergency remote lighting unit
- EXIT LED fixture
- emergency connect to EXIT fixture
- outlet boxes
- occupancy sensors
- daylight sensors & interface
- Low voltage switch
- Low voltage relay cabinet
- 15 a fourplex receptacle
- 15 a duplex receptacle- WP
- 15 a GFI duplex receptacles
- 20 a duplex receptacles
- auto flush/washroom outlets
- power receptacles
- photocells & time clocks control
- branch circuit conduit/wire

#### Communications

- fire alarm control panel-Stage 1
- fire alarm control panel-Stage 2
- fire alarm control panel-Stage 3
- entrance annunciator

---

command centre stage 1  
command centre stage 2  
manual alarm stations  
EVAC speakers  
strobe light  
door holders  
sprinkler connections  
fire alarm branch wiring  
24" cable tray  
cable tray T -section  
cable tray elbow  
cable tray supports  
cable tray grounding cable  
cable tray grounding cable lugs  
telephone/data 2" conduits  
telephone/data 4" conduits  
backboards  
phone outlet  
phone/data outlet  
wireless outlet  
BIX blocks, equipment racks  
telephone/data cable 4 pr. Category 6 FT4  
trunk cable allowance-Stage 1  
fibre optic allowance-Stage 1  
1" conduit  
television wall outlet  
RG8-FT4 cable  
Multimedia Equipment  
3/4" conduit  
paging speakers-wall mounted  
paging speakers-ceiling mounted  
public address equipment  
public address equipment - Stage 2  
Intercom station-master  
sound system conduit/cable  
flight information system outlet rough ins  
flight system empty conduits  
GPS clock system  
GPS clocks  
CCTV monitor & switcher  
enclosed camera  
PIR motion detectors  
Card readers-proximity type  
Emergency telephone  
Intrusion alarm system conduit  
security system infrastructure allowance Stage -3  
Miscellaneous IT Related Items

---

- Access Control System software and door hardware
- Access Control Key Pads
- Access Control Biometric Scanners
- Airport Operations Database (hardware and software)
- Building Management System (hardware and software)
- Closed Circuit Television Cameras
- Common Use Check in Counters (software and hardware)
- Common Use Gate Counters (software and hardware)
- Common Use Kiosks
- Printers
- Card readers
- Telephone hand sets
- scanners
- monitors
- keyboards
- mouse
- mouse pads
- computer hard drives
- entertainment TV (hardware and software)
- Flight Information Displays
- Baggage Information Displays
- Fire Alarm System
- Intercom System
- Networking switches and equipment
- Wireless networking equipment Communication cabling
- Fiber optic cabling
- Miscellaneous Landscape Items
  - sod
  - top soil
  - grass
  - trees
  - plantings (plants, flowers)
  - paver stones
  - decorative concrete
  - bus shelters
  - flag poles
  - monuments
  - railings
  - bike racks
  - benches
  - tables
  - chairs
  - canopies
- Miscellaneous Outdoor Items
  - Deep Well Marine Pumps
  - Deep Well Casing (10")
  - Deep Well Piping (10")

---

Macerator 3hp pump  
Sanitary Sewer pumps  
Sanitary Sewer Pump Stations  
Sanitary Sewer Control Panels  
Macerator Control Panel  
100mm Communication Ducting  
125mm Power Cable Ducting  
Power and Communication Manholes  
Sanitary Sewer Manholes  
Water pipe PVC  
Water pipe cast iron  
Water Valves various sizes and types  
Sewer Pipe SDR 35PVC  
Sewer Valves  
Drainage system valves/gates  
Power and Light poles (metal and timber)  
Light davits  
Exterior Light fixtures  
Irrigation Piping  
Grey Water Storage Tanks  
Water Storage Tanks  
Propane Tanks  
Fuel Storage Tanks  
No-Post Concrete Parking Barriers  
Traffic Cones  
Traffic Barricades (plastic and timber)  
Parking Pay Kiosks (building)  
Parking Pay Equipment  
Concrete Culverts (up to 60" dia.)  
Corrugated Steel Culverts  
Concrete headwalls  
Butler Storage Building  
Canopies Fabric  
Canopies Steel  
Catch basins  
trench drains  
drainage piping PVC  
drainage piping Concrete  
Miscellaneous Other Items  
fasteners  
adhesives  
sealants  
hardware  
components for envelope/air barrier  
lamps for light fixtures  
safety equipment  
small tools

---

Sitework

HV cable allowance-Stage 1  
HV cable allowance-Stage 2  
HV Connections Allowance  
100 mm PVC ducts  
125 mm PVC ducts  
50 mm PVC ducts  
3200 a feeder (Emergency Power)  
TAC Main & Tel Service Ducts  
4/0 ground conductor  
ground terminations  
Precast concrete pull box

Apron Drive Bridges

Apron Drive Bridges

Miscellaneous Airside Materials

Taxiway and Apron Edge Lights (inset)  
Taxiway and Apron Edge Lights (Elevated)  
pulpits plastic  
inset light bases (galvanized steel)  
50 111111 rigid PVC conduit  
30W/45W Transformers  
Airfield lighting cable 5000 volt  
Airfield Regulators (5, 10, 15, 20 kw)  
Airfield Signage  
Asphalt  
Tack Coat  
Prime Coat  
Paint (line painting)  
Hi-mast Lighting Poles and Fixtures  
Oil/Water separators  
Trench Drains  
Fencing Materials (posts and fabric)

Elevators & Escalators

Elevators

E-A1. large passenger, 2 stop-re & re  
E-A2. Freight. 2 stop  
E-A3. large passenger, 2 stop  
E-A4. large passenger. 2 stop, double sided  
E-B1. passenger. 2 stop-re & re  
E-B2. passenger. 2 stop-re & re  
E-B3. large passenger. 2 stop  
E-B4 large passenger. 2 stop. double sided  
E-B5. large passenger. 2 stop. double sided re & re  
E-C2. large passenger. 2 stop E-C3. Freight. 2 stop  
E-C4. large passenger. 2 stop. double sided

Escalators

interstitial to Level 1, 10'0" rise



---

interstitial to Level 2, 10'0" rise  
Level 1 to Level 2, 18'0" rise  
Baggage system  
baggage handling system excluding CTX and scale induct  
Roller conveyor @ check-in  
PLC for Baggage system  
CTX Machines  
Power Curves  
Conveyor Belts  
Drive Belts  
Variable Speed Drive Motors  
Cat Walks and Railings  
Fire and Security Doors (baggage)  
Baggage Carousels  
Stainless Steel Slides and chutes  
Diverters

**SECOND SCHEDULE**

*(Regulation 3)*

**THE AIRPORTS (CUSTOMS DUTIES AND EXCISE  
TAX EXEMPTION) ACT**

**FORM**

**APPLICATION FOR CUSTOMS DUTIES AND EXCISE  
TAX EXEMPTION**

To: Financial Secretary, Ministry of Finance.

I .....  
**(Name of Applicant)**

of .....  
**(Address of Company)**

am responsible for the development of the .....  
**(Name and location of Airport)**

I hereby apply for customs duties and excise tax exemption with respect to the under-mentioned goods.

<b>Description</b>	<b>Estimated quantity</b>
	<input type="checkbox"/> TICK WHERE APPLICABLE

*[here list the relevant goods specified in Schedule 1 of the Regulations, and the quantities for which tax exemption is claimed]*

Signature of Applicant .....  
Date .....